



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# THE CONDOR

An Illustrated Magazine  
of Western Ornithology

Publish Bi-Monthly by the Cooper Ornithological Club of California.

JOSEPH GRINNELL, Editor, Berkeley, Cal.  
J. EVGENE LAW, Business Manager, Hollywood, Cal.  
W. LEE CHAMBERS, Business Manager, Santa Monica, Cal.

HARRY S. SWARTH } Associate Editors  
ROBERT B. ROCKWELL }

Hollywood, California: Publish Mar. 25, 1910

## SUBSCRIPTION RATES

One Dollar and Fifty Cents per Year in the United States, Mexico, and U. S. Colonies, payable in advance.

Thirty Cents the single copy.

One Dollar and Seventy-five Cents per Year in all other countries in the International Postal Union.

Claims for missing or imperfect numbers should be made within thirty days of date of issue

Subscriptions and Exchanges should be sent to the Business Manager.

Manuscripts for publication, and Books and Papers for review should be sent to the Editor

Advertising Rates on application.

## EDITORIAL NOTES AND NEWS

The first expedition for 1910 to take the field in the interest of the University of California Museum of Vertebrate Zoology, left on February 13. The party is headed by Mr. J. Grinnell, who is assisted by Messrs. F. Stephens, J. Dixon and H. Jones; the field of their endeavors is the valley of the Colorado River, between Needles and Yuma. After a short stay at Needles boats were procured, and the party started down the stream, the plan being to collect at intervals on both sides of the river; proceeding by easy stages to Yuma, which will be reached about May 15. The same trip was made by Dr. Elliott Coues, years ago, when the country was new and unknown; and it is decidedly suggestive to note that the list of birds he saw along the river includes several species that have not since been observed in Arizona—to such an extent has this region been neglected by naturalists. The present expedition promises much in the way of results.

We are in receipt of an announcement of the organization in New York City, on December 8, 1909, of the American Bird Banding Association, the object of which is "the banding of wild birds and the recording of accurate data on their movements." The migrations of birds are thus studied by the placing of numbered, address, metal bands upon their legs,

a record being kept of the same. This method of study, tho new in this country, has been pursued in Europe for some time. It promises interesting results, and there are doubtless many Cooper Club members who will be desirous of assisting in the work. Full information may be procured from the president of the society, Dr. Leon J. Cole, Peabody Museum, New Haven, Connecticut.

John Farwell Ferry, member of the Cooper Ornithological Club, died at Chicago, Illinois, February 11, 1910, of acute pneumonia. Mr. Ferry was born on October 12, 1877 and graduated from Yale in 1901. In his preparatory work at Andover, Massachusetts, he was one of the most popular young men in the school. His strong Christian principles and his thoro work as Secretary of the Y. M. C. A., and Editor of the school paper at Andover, are still spoken of by the officers of that institution.

Mr. Ferry was fast winning distinction as an ornithologist. He had made numerous expeditions, in Arizona, and, for the United States Biological Survey, in the Coast Ranges of California. His latest and most notable trips were several expeditions to Central and South America, made in the interest of the Field Museum, of Chicago. His last trip was to some of the islands of the Caribbean Sea, of which little or nothing was known ornithologically, and he obtained an immense number of specimens, among which were several species and varieties new to science. The results of this trip are embodied in a report by C. B. Cory on the Birds of the Leeward Islands of the Caribbean Sea, (Field Mus. Pub. no. 137, Orn. Series, Vol. 1, no. 5).

His sterling qualities of heart and mind endeared him to all his friends and acquaintances. During my association with Mr. Ferry for twenty years, I have never heard him say a depreciating word against any man no matter how great an injustice may have been done him. Men of this splendid character are rare and it behooves us to take advantage of their lives as an example for future guidance.—F. M. W.

## PUBLICATIONS REVIEWED

THE HOME-LIFE OF A GOLDEN EAGLE. BY H. B. MACPHERSON. With thirty-two mounted plates. London, 1909, pp. 1-45.

The account here given of the life of a young eagle, during the eleven weeks between its birth and the time of its departure from the nest, is one of greatest interest. The writer's unusual opportunities for photography and study were evidently taken advantage of

to the utmost, and the resultant report discloses the domestic life of the king of birds to its uttermost details. The nest under observation was built on a cliff in a deer forest in Scotland, and a blind was constructed near by, affording concealment to observer and camera, where many long hours must have been spent in watching the daily progress of the young bird. The account is written in most simple and convincing style, with none of the imaginative flights that so often mar such observations, and is a substantial and valuable addition to our knowledge of the life history of a most interesting bird.

The accompanying photographs are beautiful and interesting, almost telling the story by themselves. Considering the large amount of dark, rainy weather encountered during the period of observation, the photographic results seem really remarkable.—H. S. S.

ANNOTATED LIST OF THE WATER BIRDS OF WELD, MORGAN AND ADAMS COUNTIES, COLORADO, SOUTH TO THE FIRST SECTIONAL LINE BELOW THE FORTIETH PARALLEL. BY A. H. FELGER. With three maps. (From *The Auk* XVI, no. 3, July, 1909, pp. 272-291).

The list is a long one, especially so for a section of the country that we are not accustomed to think of as being particularly well situated for the abundant occurrence of water fowl. The recent abundance of these birds is attributed largely to the settlement and farming of the country, with the attendant construction of reservoirs and irrigating systems. Besides the author's personal observations on the birds of the region during eleven years—1898 to 1909—he has drawn upon all the published sources of information available, making the list authoritative and apparently quite complete.

Many species of waders known to breed only in the far north were observed in varying numbers thru the summer, giving rise to the suspicion that they might be found nesting in the region. While this may prove to be true in some instances we believe it to be unsafe to assume as much from the mere occurrence of the birds during the summer months. Individuals of even such northern species as the Western Sandpiper and the Northern Phalarope are known to spend the summer as far south as southern California, and such of these as have been collected have always proved to be non-breeding birds.—H. S. S.

ECOLOGY OF THE HOATZIN. BY C. WILLIAM BEEBE [=Zoologica, vol. 1, no. 2, Dec., 1909, pp. 45-66, Figs. 7-19]. This contribution to the life history of an exceedingly curious and little known bird contains much of great interest. A bird with its crop replaced by a "gizzard," that uses its wings as hands and has

claws on its "fingers," that has the large, heavy feet of a ground dweller and still lives in the tree tops, but can swim and dive if need be, is enough of an anomaly to somewhat prepare us for the author's conclusion, startling as it appears, that the Hoatzin is very imperfectly adapted to its surroundings. This appears to be true to such a degree that it is only the total absence of active enemies that enables the bird to survive.

The numerous excellent photographs add greatly to the interest of the paper. Some of these depict the Hoatzin in life. Others from prepared specimens, show peculiarities of structure, such as the curiously modified sternum, clearly illustrating the feeble flying powers of the bird, and the claw-armed wings of the immature bird, used in clambering thru the branches.

A map illustrates the distribution of the species as known at present, and a bibliography of pertinent literature is appended to the paper.—H. S. S.

RACKET FORMATION IN TAIL-FEATHERS OF MOTMOTS. BY C. WILLIAM BEEBE [=Zoologica, vol. 1, no. 5, January, 1910, pp. 141-149, figs. 43-47]. The strange habit of voluntarily mutilating their tail feathers, peculiar to the Motmots, has long been a subject of interest to ornithologists, the mathematical regularity with which the trimming is done, and the object of the peculiar ornamentation, being alike food for speculation. In the present paper Mr. Beebe tells of certain experiments carried out on a living bird, which seem to cast much light on some phases of the question. As remarked by the author, the fact that before the denudation the feathers at the point of trimming are narrower than elsewhere, has been cited as a possible example of the inheritance of acquired characters, the theory being that generations of trimming have produced narrower feathers, which would, presumably, in further generations, be gradually replaced by others entirely bare at that point. On the face of it this theory appears to explain the existing conditions very plausibly, but Mr. Beebe's experiments seem to show that the acceptance of such a belief is but placing the cart before the horse—a complete reversal of cause and effect.

Lack of space forbids our giving an outline of the experiments carried out, but the conclusions reached are briefly as follows: that a certain portion of the central rectrices shows a congenital degeneration of barbs and barbules; that these barbs are strong enough to adhere to the shaft during the growth of the feather, but too weak to survive the manipulation received during preening. Hence that the regularity with which the trimming is done is entirely involuntary on the part of the bird, and not at